



CATALOGUE 2016

# CLIMATE CONTROL, PURIFICATION & VACUUM





**Ecogest Trade S.L.** is a pioneer, whose aim is to improve the lifestyle of its customers thanks to its wide range of products. Our trademark **ECO-DE®** follows the quality standards of the CE.



02  
Clima

**ECO-DE®** offers a wide range of services when it comes to customize products according to their needs; We have a variety of colors, dimensions and materials of each product. Browse our catalogs and do not hesitate in requesting more information.

## EXCLUSIVE PRODUCT *No web*

The **EXCLUSIVE PRODUCTS *No web***, framed by the following yellow mark, can not be sold on websites, online clubs or shops.

*Exclusive products only for direct sale.*

EXCLUSIVE PRODUCT *No web*





We are always looking for new relationships and collaborations, so feel free to visit our website and contact us.

Visit us [www.eco-de.net](http://www.eco-de.net)

ALL PRODUCTS ECO-DE® ARE 100% SPANISH DESIGN

**ECO-DE®**

*Our services for you!*

## Index

ECO-698 Hot & Cold Climate - 5 in 1.....	4
ECO-CHI-522 Electric fireplace.....	6
ECO-3005 Oscillating halogen heater.....	8
ECO-3100 Mural ozone purifier.....	10
ECO-3122 Purifying water jug.....	12
ECO-3150 Water purifier AQUA FILTER TOWER.....	14
ECO-3200 Ozonator fridge.....	16
ECO-3600 Dehumidifier ION / OZONE.....	18
ECO-3700 Ozone air purifier ELECTROSTATIC.....	20
ECO-352 Frego steam mop .....	22
ECO-354 Vaccum cleaner blower WET & DRY .....	24
ECO-355 Central Ironing TOTAL CLEAN .....	26
ECO-356 Vaccum cleaner CYCLONE BRUSH.....	28
ECO-358 Glass cleaner with aspirationn CLEAN WINDOW.....	30
LED strip lights 5m .....	32

03 Climate control



**ECO-DE®**

## CLIMATE CONTROL HEAT & COOL - 5 in 1



04 Climate control



### Introduction

Climate controller ECO-698 **ECO-DE®** is a conditioner that integrates five functions: heating, cooling, humidifying, filtering and sterilizing. Therefore it is able to treat the 3 fundamental quality parameters summarized in air-conditioned:


- Renovation and air cleaning
- Temperature control (cold in summer and warm in winter)
- Control of relative humidity.
- In the above functions it must be added easy mobility using its 4 wheels for conditioning different rooms as needed by the user.

### Control panel & Remote control

Both the panel and the Remote Control handles have the same functions.







Incluye 2 acumuladores .....




Depósito de agua

**ECO-698**

CLIMATIZADOR FRIO & CALOR

Control panel



Filtro de panel de abeja



05 Climate control

4 ruedas para fácil desplazamiento

## Use

### In summer

Remove the water tank about 10 cm and fill it with cold water between the MAX and MIN level. It is recommended to change the water in the tank frequently to not gather dust or debris. Put the plug and switch on. Press the SPEED button to select the desired speed. Press the COOL button to select the Cool option. It is recommended to clean the filter regularly.

## Technical specifications

ECO-698	Climate control
Product measures	74 x 30 x 36 cm
Packaging	78 x 36 x 43 cm
Weight	7 Kg
Groupage	1/Box 15/Palet
Power / Frequency	220/230 V 50-60 HZ 1000-2000 W heat / 70 W cold
EAN	8 436540 960207

### In winter

Press the HEAT button to select (HEAT option). Press once, for 1000W (green light), press twice for 2000W (red light). Press 3 times to cancel.



**Aromatherapy:** Open the rear compartment located behind the control panel, and place a few drops of your favorite fragrance. Note: Use essences 100% biodegradable.



06 Climate control



### Introduction

The electric fireplace **ECO-DE®** is composed of an aluminum frame and MDF, opening glass door, ultra-resistant feet and effect real fire with logs and embers.

Electric fireplaces are a great alternative to the chimneys of old wood or gas that are very difficult to maintain. Electric fireplaces can save time and money by using the same amount of heat as a heater and no emissions or hazardous fumes.

### Characteristics

- Adjustable effect real fire with a button.
- Practicable door glass.
- Side handles for easy transport.
- Removable top cover.
- No you need any installation.
- Button thermostat regulator.
- Heat power: 1800 (900 + 900) w.





Real Fire Effect

Control panel

Practicable door

Hot air outlet



07 Climate control

### Control panel

1. Switch flame adjustment
- 2a. Flame Effect On / off
- 2b. 900W heat fan
- 2 C. 900W heat fan
- 2d. Fan (unheated)
3. Thermostat



### Technical specifications

ECO-CHI-522	Electric fireplace
Product measures	51 x 31 x 56 cm
Packaging	58 x 39 x 63 cm
Weight	11 kg
Groupage	1/box 12/palet
Voltage / Frequency	220/230 V 50-60 HZ 1800 (900+900)w
EAN	8 436540 960214



**HALOGEN HEATER  
SWINGING**

08 Climate control

**Introduction**

The type of heat generated by a halogen heater is best for our health. In this line, we present our halogen heater with 3 powers that will warm your room in a clean, quiet and pleasant way. One of the great advantages of these heaters is the instantaneous heat emitted when turned on.

**Characteristics**

- Halogen heater 1200W power ground.
- Heating power: 400 + 400 + 400 W
- Swing Button: swing from right to left.
- Machine 120.
- Automatic shutdown in case of rollover.


**TURN button: swing from right to left.**




## ECO-3005 HALOGEN SWINGING HEATER

ON / OFF

TURN : (+/- 45°) from front position



Swing 120°




09 Climate control

Automatic stop rollover.



### Technical specifications

ECO-3005	Halogen heater
Product measures	59 x 16 x 34 cm
Packaging	60 x 17 x 35 cm
Weight	2.5 kg
Groupage	1/box 40/palet
Power / Frequency	220/230 V 50-60 HZ 400+400+400 Watts
EAN	8 436540 960030



Heating power: 400W + 400W + 400 W

**WALL PURIFIER  
OZONE**010  
Climate control**UV**  
*Light***Introduction**

The Wall purifier ECO-3100 **ECO-DE®** is a low power consumption device (8W), designed for both small size rooms 15m<sup>2</sup>. The Ultra Violet light breaks the molecular structure of mold, bacteria, fungi and other germs, and sterilizes the surrounding environment. The device contains an internal fan for proper air circulation and deposit trap tray for easy cleaning.

For an average house, we recommend four units (one unit per stay).

- Ion Output: 1x10<sup>5</sup>/cm<sup>3</sup>
- active oxygen: 0.05ppm



## ECO-3100

### WALL PURIFIER OZONE



Its operation is simple and effective, as well as it offers an optimal result in a way harmless to health. Thanks to the oxidizing power of ozone, a natural gas which decomposes into oxygen, the atmosphere is purified, deodorized and disinfected simultaneously.

3 positions:

1. Ventilation
2. Ultraviolet light
3. Ventilation + Ultraviolet Light

### Ozone in the 3 positions




011  
Climate control

dust tank.

### Technical specifications

ECO-3100	Wall purifier
Product measures	21 x 9,4 x 9,4 cm
Packaging	25,5 x 10,5 x 13,5 cm
Weight	350g
Groupage	40/Box 96/palet
Power / Frequency	220/230V 50-60HZ 8W
EAN	8 436540 960054



012  
Climate control

### Characteristics

- Capacity 2.4 L.
- Exclusive spare filter **ECO-DE®**, compatible with other brands.
- Reduces chlorine up to 85%.
- It reduces lime up to 90%.
- Anti-slip base.
- Reduced copper waste up to 50%.
- 160-180 liters of filtrate or 60-90 days.
- Design suitable for the refrigerator door.
- Ergonomic handle.

**ECO-3122A****2,4 L**  
GREAT  
CAPACITY.

### Filter

- 0,5 L/min.
- PP filter: removes suspended particles
- activated carbon: Removes bad flavors, pesticides, pollutants.
- Ion filter: removes heavy metals, retains beneficial substances such as calcium.
- Basis filtering: filter that lets only the correct water components.

**ECO-3122R**

- Spare filter - 4 Filter stages





013  
Climate control

*"The water filtration systems is one of the few ways that we have to make sure that the water we drink is pure and is not contaminated".*

#### Technical specifications

ECO-3122	Purifying jar
Product measures	29 x 10 x 27cm
Packaging	30 x 11 x 28 cm
Weight	1,1 Kg
Groupage	12/Box 216/palet
Components	Plastic
EAN	8 4217900010888



## AQUA FILTER TOWER WATER PURIFIER 8 stages filter



NATURAL FILTER

24 L  
ECO-3150

014  
Climate control

### 8 STAGES FILTER



#### Intro

The "Aqua filter tower" ECO-DE® is a revolutionary cleaning system inspired from nature itself. The water coming from rains and rainfalls, contains microorganisms and other harmful substances that are removed through filtration cycle thanks to the different layers of the soil. In this way the water of the groundwater is cleaner and safer.

"Aqua filter tower" ECO-DE® is based on the same analogy of water filtration through the different layers explained further.

*The result is a purified, healthy and high quality water.*

*It is necessary to thoroughly wash the filters before first use.*




#### First use

Keep each filter under tap water for several minutes to clear them of any impurities due to the manufacturing process.




## Components

## MULTILAYER FILTER

**1. CERAMIC FILTER**

The main component of the ceramic filter is a diatom with highly compressed high-strength ceramics baked at high temperature. Its function is to filter water metals such as iron and sulfur, and particles health hazard that can cause typhoid, cholera and dysentery. Filtering is 0.2 micron

Clean the filter with water and soft brush since, with time and because of the retained substances, it changes color. (Never use soap).

**2. MULTI FILTER ECO-3150-R**

This filter consists of several layers, each with a specific function. The result is mineral, pure water, clean and clear. Filter layers containing:

**1. Activated carbon impregnated with silver salts:**

Removes chlorine, trihalomethanes, organic chemicals, flavors, aromas and undesirable colors.


**2. Mineral Arena:** Enrich the water with some minerals to maintain alkalinity, thus restoring the pH balance in the body fluids.

**3. Silica sand:** Remove the acidic components of water to keep your balance PH

**4. Activated carbon impregnated with silver salts:**

Removes chlorine, trihalomethanes, organic chemicals, flavors, aromas and undesirable colors.

**5. Medical Arena:** It is a sterilizing material. Kills any bacteria and prevent pollution of the water tank.

**3. MINERAL STONES**

These stones come from the seabed and are at a depth of between 300 and 600 meters. Its function is to add minerals such as potassium, calcium, magnesium and other essential micro health.

**4. MAGNETIC KEY**

The key contains therein a magnet to align the molecules water thus obtaining the benefit of providing more vitality and health the human body. The result is a clean, free water all impurities, fresh and healthy, ready to be eaten.

015  
Climate control

## Maintenance

Clean the filters with water and a soft brush. Over time and due to retained substances, impurities are deposited. (Do not use soap).

\* Change of filters every 6 months approximately.

## Technical specifications

ECO-3150	Aqua filter tower
Product dimensions	34,5 x 25 x 62 cm
Box dimensions	37,8 x 27,8 x 35,7 cm
Weight	4 Kg
Groupage	4/box 40/palet
Components	Plastic
EAN Tower	8 436540960221
EAN Filter	8436540960238



**FRIDGE OZONATOR**016  
Climate control**Introduction**

Fridge ozonator **ECO-DE®** is an air purifier suitable for refrigerators that allows a better food preservation. The main benefits are disinfecting the atmosphere inside the fridge, eliminating and preventing the formation of odors and spread of bacteria or virus in food.

Suitable for all types of refrigerators.

**Benefits**

Its operation is simple and effective, as well as it offers an optimal result in a way harmless to health. Thanks to the oxidizing power of ozone, a natural gas which decomposes into oxygen, the atmosphere is purified, deodorized and disinfected simultaneously, as well as extends the life of food, avoiding the appearance of mold and mildew.



### Characteristics

- Healthier food preservation.
- Fridge always cleaned and sterilized.
- No odors.
- Low battery LED indicator for battery replacement.
- Low power consumption (1.2W). 4 x C (duration 300 days).
- No precise filter change.
- Sterilizes the refrigerator every 2 hours.
- Reduce food spoilage.

### Technical specifications

ECO-3200	Fridge ozonator
Product measures	13,2 x 7,3 x 14 cm
Packaging	15,5 x 17,5 x 10,5 cm
Weight	470g
Groupage	25/box 96/palet
Power	1,2 W 4 battery
EAN	8 436540 960061



017  
Climate control





018 Climate control

## Introduction


Mini dehumidifier, ideal for stays of 15 m2.

Anion emission allows the reduction of existing carbon monoxide in the air around us, purifies the atmosphere and converts the air in a healthier one like the mountain or the sea. The ultraviolet light purifies the air.

Dehumidification keeps the drier air. Its compact design and low power consumption will enable significant energy savings compared to other models.

Ion Output: 1x105/cm3  
Active oxygen: 0.05ppm

*Led warning filling.*





## ECO-3600 DEHUMIDIFIER ION / OZONE



019  
Climate control

Dehumidifiers are devices specially designed to provide immediate, fast and efficient solution to all the problems caused by the excess of moisture. The percentage of relative humidity suitable for the comfort and health is between 45% and 55%, whether summer or winter. The excess moisture in the walls of houses, clothes and books can cause (in addition to the known inconveniences for habitation, use and conservation), serious consequences for the environment and health, and especially for people with respiratory problems or asthma.

### Technical specifications



**UV  
Light**

ECO-3600	Dehumidifier
Product measures	16 x 29 x 17 cm
Packaging	21 x 32,5 x 15,5 cm
Weight	1.5Kg
Groupage	6/Box 48/Palet
Power / Frequency	220/230 V 50-60 HZ 50 W
EAN	8 436540 960078

020  
Climate control

### Introduction

The air purifier **ECO-DE®** is a device that removes air pollutants such as smoke, dust, waste from urban pollution, carrying particles odors, viruses, bacteria, allergens (substances that can cause allergic reactions: pollens, mites, spores, mold particles off cats, dogs and other pets) allowing us breathe cleaner air and clean with great benefits for the health of the whole family.

The purifier is equipped with a fan that circulates the air to a large electrostatic filter which traps particulate contaminants as the air passes through it.

The filter does not need changing, only cleaning; which saves on spare parts compared with other models.





## Characteristics

- No refill needed, only cleaning.
  - Elegant oval design.
  - More effectively to purify the air; air flows faster.
  - Effectively removes dust, smoke, odors and allergens from the air.
  - Suitable for large surfaces with average concentration of odors and dust: home, office, health-care and beauty salons.
  - UV lamp: eliminates micro-organisms in the air. Ultraviolet UV: • 20 wcm2
  - Fan separate operation, increases the air circulation.
  - Three-position switch for power, with indicator lights for greater control.
- Iones: 15x105cm3  
• Ozono: 0.05ppm



## Use

The purifier ECO-3700 does not need any installation. You only need to plug in and turn on the device. The Use of the air purifier **ECO-DE®** is very economical because they consume very little power and does not require replacement of the filter.

Air purifiers are particularly beneficial for people with allergies, asthma, and for everyone, thanks to its ability to improve the quality of the air we breathe.

## Technical specifications

ECO-3700	Air purifier
Product measures	38 x25 x 10 cm
Packaging	41 x 14 x 32 cm
Weight	1.85 kg
Groupage	6/box 36/palet
Voltage / Frequency	220/230 V 50-60 HZ 25 Watts
EAN	8 436540 960085

## ECO-3700 AIR PURIFIER





022  
Climate control

#### Introduction

The Steam Mop **ECO-DE®** is designed to clean and disinfect in one pass any kind of floor: ceramic, stone, linoleum and even wood parquet.

It has the ability of steam cleaning and vacuuming while using a microfiber cloth that helps trap particles even better. You only need to add water, without chemicals, and your home will be free of dust, bacteria or germs.

#### Use

- Remove the cap on the back of the unit and fill the water tank with the help of the measurer.
- Plug in the device.
- Turn on.
- Push the device toward the floor for steam.

#### Characteristics

- Instant steam.
- Led for water control.
- Adjustable and addressable head.
- Microfiber cloth 2 pcs.
- Measurer.
- 1200W continuous steam.
- Extra large water tank 500ml.





## ECO-352 STEAM MOP

*Extra large water tank 500ml*



023  
Climate control

*Measurer included*

### Microfiber

Microfiber is a textile product manufactured from ultra-fine fibers that give a range of higher than other tissue properties.


- Great cleaning capacity.
- High absorption capacity.
- Lower consumption of cleaning agents.
- They leave no lint or threads.
- Highly resistant to frequent washing, not shrink, do not deform and not piden properties.

### Technical specifications

ECO-352	Steam mop
Product measures	90 x 20 x 25 cm
Packaging	25 x 13 x 12 cm
Weight	3 kg
Groupage	4/box 20/palet
Power / Frequency	220/230V 50-60HZ 1200W
EAN	8 436540961143



*Head with washable microfiber cloth.*



*2 microfiber cloths included.*

**VACUUM CLEANER & BLOWER  
WET & DRY**024  
Climate control**Introduction**

Vacuum cleaner WET & DRY **ECO-DE®** has a filtration technology innovative water and is designed to suck liquid and solid.

Collects and retains water in the incoming air, capturing dirt and preventing re put into circulation in the environment.

**Characteristics**

- Captures dust by its powerful water filtration system.
- High suction power (dry and wet).
- High blowing air.
- Washable HEPA filter.
- Variable speed control.
- No dust bag. Respectful with the environment.
- Detachable water tank large capacity.
- Ideal for floors, carpets, rugs and hard to reach areas.

Absorption capacity:  
11 liters of powder and 3 liters of water.








Vacuum.

Blower.

### Accessories

1. Flexible tube.
2. Floor brush.
3. Crevice.
4. Brush duster.
5. Brush fabric.
6. Squeegee water.
7. Extension tubes.

For all surfaces.



### Technical specifications



#### ECO-354 Vacuum cleaner wet & dry

Product measures	45 x 37cm
Packaging	37,5 x 37,5 x 52 cm
Weight	9 kg
Groupage	1/box 10/palet
Voltage / Frequency	220/230V 50-60HZ 1400W
EAN	8 436540961174
Noise level	82db
Suction power	180 W
Efficiency	18 %
Cable length	5 Meters

## ECO-354 VACUUM WET & DRY





ECO-355

## CENTRAL IRONING TOTAL CLEAN



026  
Climatización

LED indicators for steam, ironing  
and empty tank alarm.



Water filter



### Introduction

Ironing central TOTAL CLEAN **ECO-DE®** is an all-purpose cleaner, including steam cleaning, vacuuming and steam iron.

Accessories:

- Steam gun and hose
- Cotton plug
- Measuring cup
- Funnel
- Window Cleaner
- 2 sheets for floor brushes
- Large Round Brush
- small brush
- Small brush stainless steel
- Squeegee and steam nozzle
- Extension tubes
- Floor brush
- Brush seals
- Griddle
- Carrying case.







Window cleaner



round brushes



Floor brush



Funnel and measuring



Griddle.



Steam gun.



Steam jet.



Griddle.



brush cleaner.



Brush liquid.

Technical specifications

ECO-355	Total CLEAN
Product measures	45 x 35 x 25 cm
Packaging	21 x 52 x 40cm
Weight	7 kg
Groupage	1/box 20/palet
Power / Frequency	220/230 V 50-60 HZ 2600 W
EAN	8 436540960009

Functions

- Steam Cleaning
- Vaccum cleaner
- Steam iron.



### VACUUM CLEANER CYCLONE BRUSH



028  
Climate control

#### Introduction

CYCLONE BRUSH **ECO-DE®** is not only a vacuum cleaner but a real piece of design. Its small size makes it one of the most practical both when using it as the storing anywhere appliances. It uses a technology called Cyclone, requires no bag and carries a surprising system toilet emptying bucket; at the touch of a button, dirt bucket goes straight to the trash.

#### Accessories

The ECO-356 vacuum manifold has a large capacity, a very effective on hard floor brush and another in carpets, upholstery and padding.

With its extensible tube is possible to breathe without bending and reaching the most difficult to access areas.





## ECO-356 CYCLONE BRUSH



**For all types of pavings**  
Absorption capacity: 0.5 liters



### Technical specifications

Detachable in a single click!

Submersible in water (except the main part of the motor).




ECO-356	Cyclone brush
Product measures	34.5 x 14 x 21 cm
Packaging	43.5 x 37.5 x 49 cm
Weight	3.1 Kg
Groupage	4/Box 20/Palet
Power / Frequency	220/230V 50-60HZ 600W
EAN	8 436540961198
Noise level	68 db
Suction power	80 W
Efficiency	12&
Cable length	5 Meters

### WINDOW CLEANER VACUUM



030  
Climate control

Trigger sprayer



Water spray

Suction power button



LED indicator  
battery level.

#### Introduction

Glass cleaner "CLEAN WINDOW" **ECO-DE®** is a vacuum cleaner 3 in 1 spraying, cleaning and vacuuming all windows, all kinds of glass surfaces, tiles, etc.

Lithium-ion battery integrated 2 washable microfiber cloths and water tank 200 ml.

Powerful suction system with removable and washable HEPA filter.

#### Use

Spray water on the surface to be cleaned.

Removes dirt with microfiber cloth.

Aspire to remove water and dirt.

1.



2.




3.





## ECO-358

### WINDOW CLEANER



#### Characteristics

- Water spray
- Water suction
- 3.6V-1500mA
- LED battery indicator
- Running time: 30 min.
- Charging time: 2.5 hours
- Output voltage 5V / 12W
- Input voltage:
- 100-240V-50 / 60Hz-0.2A
- Removable water tank
- Water tank: 200 ml

**extensible tube to 115 cm!**



#### Technical specifications

ECO-358	Clean Window
Product measures	cuerpo 9.5 x 12 x 28.5 cm boquilla ø4.5 x 27 cm
Packaging	14 x 14 x 30 cm
Weight	2 kg
Groupage	12/box 96/palet
Voltage / Frequency	220/230 V 50-60 HZ 12W
EAN	8 421790015371
Noise level	65 db
Suction power	0,8Kpa
Efficiency	no
Cable lenght	1.2 M

**ECO-DE®**




031  
Climate control



**ECO-DE®**

## LED LIGHTS 5m



032  
Climate control




### Characteristics

5 meters strip with 60 LEDs per meter and 3.6W of power.

You can put colors separately (Red, blue and green), or a mixture of colors.



## LED LIGHTS



033  
Climate control

It has 4 modes of light burst and 3 different levels of intensity.

It Includes Remote control and power supply.



**ECOGEST TRADE S.L**

C/ Muntanya del Flare nº14

Ribarroja De Turia 46190

VALENCIA - SPAIN

[pedidos@ecogestimport.com](mailto:pedidos@ecogestimport.com)

**T** +34 902 89 82 94

**F** +34 962 77 96 69

